

# talking about bereavement





This booklet reflects many discussions, suggestions and comments made by health professionals, professional bodies, lay and voluntary organisations, people experiencing bereavement and their friends and family.

NHS Health Scotland would like to thank all of those who contributed in any way to the development of this booklet, for so willingly giving their time, and sharing their expertise and experience.

All the quotes in this booklet are from real people.

#### Disclaimer

Every effort has been made to ensure that this publication is as up-to-date and accurate as possible. However, new research can sometimes mean that information and recommendations change very quickly. Changes and alterations will be made at the next reprint to reflect any new information.

While the booklet represents the consensus of good practice, please remember that different circumstances and clinical judgement may mean that you have slightly different experiences.

If you have any doubts, worries or fears, then do not hesitate to contact your doctor for reassurance and further explanations.

Published by NHS Health Scotland

#### **Edinburgh Office**

Woodburn House, Canaan Lane, Edinburgh EH10 4SG

### Glasgow Office

Elphinstone House, 65 West Regent Street, Glasgow G2 2AF

© NHS Health Scotland, 2006, 2009.

ISBN: 978-1-84485-348-9

NHS Health Scotland is a WHO Collaborating Centre for Health Promotion and

Public Health Development.

Original text: Geraldine Abrahams

Research: Scott Porter

### introduction

The loss of someone we love is likely to be one of the most painful experiences we will ever have to face. Yet in the natural course of our lives it is likely that we will experience it at least once, and may even do so several times.

We tend to talk very little about death and bereavement although it is such a natural and inevitable part of life. When we lose someone important to us we can be overwhelmed by our pain and distress and worry that those feelings will never pass. Our reactions can be frightening both for us and for those around us since the pain and distress we experience can result in us thinking, feeling and behaving in unfamiliar ways.

This booklet has been written for people who have recently been bereaved and for their friends and families. It contains suggestions for how you can get help and tells you about books you can read. A selection of useful sites on the internet has also been included.

### what is bereavement?

When someone we love dies, we are likely to feel bereft. Disbelief and numbness, painful searching for the lost loved one, and deep sadness, are just some of the reactions that make up the experience of bereavement. It can help, perhaps, if we think of bereavement as a wound that needs time to heal. This healing process cannot be hurried and

affects each of us differently.

'The children reacted in such different ways. One seemed to take it in her stride but sought extra attention to cover her insecurity. The other said nothing for a couple of days but then worked it all out and explained it to us.'

There is no right or wrong way of grieving. We need to acknowledge our feelings and express them as we wish. Grieving is itself part of the recovery, of coming to terms in so many different ways, and in so many different situations, with the loss of the person we love.

### understanding bereavement

#### First reactions

Whether death comes suddenly and unexpectedly, or after a long illness, it is likely to leave us in a state of shock.

We may feel very numb. Everything may seem unreal as if in a dream. Sometimes the shock itself can carry us through the first few days and enable us to make the practical arrangements about the funeral. Sometimes, we feel the full impact of the loss straightaway and may need help and support from others to deal with practical matters.

If the death is expected, perhaps as a result of a long illness, we may have had time to prepare for what is to happen and the shock may last for less time.

The funeral is an important part of the bereavement process. It offers a chance to say goodbye to the person who has died, in the company of others who knew them. It can also help us acknowledge our own loss and express our feelings. This is best not avoided for too long, as it is all part of healing and recovery. It is important that the funeral reflects your own wishes as well as being a remembrance for the person who has died. Having your own input into the preparation of the funeral can help you come to terms with your loss.

Sudden loss of a loved one as the result of a tragedy, or perhaps the loss of a baby through early miscarriage, may mean that there isn't a body for the funeral. The lack of a body may make it harder to accept that the person is dead. Grief needs a focus, and a ritual such as a memorial service can allow friends and relatives to come together and begin the mourning process.

#### And later...

How we feel when we are bereaved will depend on the relationship we had with the person who has died, and how we felt about them. We may also find that this death awakens feelings within us about other losses in our life.

The circumstances of how they died may affect how we feel. If the death comes after a long period of illness we may feel relieved that their suffering has come to an end.

We may feel angry with the person who has died for abandoning us, or angry with the doctors and nurses and other people we feel might have done more for them. We may even be angry with ourselves for being angry.

We may also feel guilty about things we did or didn't do before the death. We may feel we could have visited more or sorted out some quarrel or misunderstanding. We might even feel, in some indirect way, responsible for their death, although there is usually no need to feel guilty. This is a common reaction for young people who may also wonder where the deceased has gone, when they will come back or even worry that they too are going to die.

Bereavement can leave us feeling despondent and deeply distressed. We may find ourselves crying uncontrollably or experiencing sharp pangs of grief and yearning. Sometimes strong feelings will be stirred by thoughts or memories of our loved one. At other times, a trivial event, apparently unrelated to the loss, may provoke deep upset. It is as

'At first I just wanted to die and it took me two years to start feeling better. For a long time you wake up and your first thought is that she's dead.'

though we have to face the enormity of our loss many times and in many different ways.

While the natural process of grieving will take its time, it may help to know that strong feelings are normal and that it can help to cry, or talk to others about how we feel.

Our grief can make us feel detached from everything around us and we can have difficulty putting our feelings into words. We may experience sleeping problems, a loss of appetite or other physical symptoms. It may be impossible for us to concentrate on daily tasks at work or at home.

We can also find ourselves reacting unexpectedly in ways that we had thought we'd left behind us – old family feuds reignited for example – and bitterly regret how we have acted afterwards. It can be puzzling for those around us because we appear to act guite out of character, and at times unreasonably.

Sometimes, the only way we can cope is to carry on with familiar duties, to try to hold our world together.

Some people find spiritual practice helps either in the context of organised religion, or in something less structured, such as meditation. In a group setting, it can provide the additional benefit of social support.

Very often people can find themselves searching for the person who has died. It is not unusual to think we see them, perhaps across the street, or hear the person calling to us or behave as though the person is still alive, setting a place at the table or expecting it to be them when the phone rings.

'I kept looking for him and expecting him to come into the room.'

The death of someone we love often makes people think about their own death – and may raise thoughts of suicide. This is a normal reaction, either because we want to be with the person or because our life seems to have little meaning after they have died. These reactions can be very distressing but are very common. Usually they fade away with time, as the reality of the person's death sinks in.

Coping with the reactions of others can also be stressful. We may be tempted to think that people close to us who react differently are not truly grieving. Most people generally prefer to know how someone else feels, and although it can be hard to talk about our feelings we may need to make an extra effort for the sake of those around us. At times, we may also have to be especially patient to give others a chance to reach the point of being able to express their grief.

People at work or in our neighbourhood may be unsure what to say to us, and need a little prompting. They may accidentally say things that upset us and dealing with these comments can be very difficult.

We may have to mention the dead person's name first, but most people will be glad to talk to us about him or her once the initial barriers are broken down.

All the experiences and feelings we have during bereavement will come and go at different times. As healing takes place, they usually become less intense and overpowering.

#### Over the worst

Coming to terms with someone's death is bound to take time. For some people the first anniversary of the death

'It's the small and unexpected things that hurt, and anniversaries are awful.' marks a watershed, but other occasions such as birthdays or wedding anniversaries can also re-awaken our sadness.

There will usually be practical matters that need attention, for example dealing with our loved one's clothing and personal possessions, or selling the family home. Sometimes that can feel almost unbearable. Losing those tangible reminders can feel like a double blow at a time when we think we are starting to recover a little from our loss. However, this is also part of the normal grieving process and sometimes, to our surprise, can herald a phase of less-intensive grieving. It is impossible to predict the course of your grieving – different people will deal with things at different stages, as feelings and circumstances determine what's appropriate.

It is unlikely we will be able to identify an actual day when we have stopped grieving. Feelings we thought we had dealt with may return with frightening intensity for no apparent reason from time to time.

But we may find ourselves beginning to make plans for the future and to take a more active interest in things. When

we now think about the person who died, it may not always be with sadness. It's important not to feel guilty about looking ahead. We will not forget the person who died, but we cannot go back to the way it was before.

Sometimes when we are bereaved we can rush into decisions about our future which we may later regret. However much we may want to move away from an area that reminds

'My daughter keeps
nagging me about getting
rid of my wife's clothes to
a charity shop. But, to be
honest, I don't need the
space, and the clothes
actually remind me of my
wife. In fact, sometimes I
hold one of her blouses
and I can smell her
perfume, and that makes
me feel she's very close.'

us so painfully of the person who died, or leave a job which seems trivial and pointless, we should think carefully before acting. Our job, and contact with other people can offer valuable support at this time.

At times, the pain of grief can feel unbearably intense. Usually, this too will pass, but there are occasions when we get stuck and the process of recovery remains incomplete.

Coping by avoidance – drinking too much, working longer hours and even immersing ourselves in the funeral arrangements, or not attending the funeral at all, may be storing up problems for the future.

Perhaps we find ourselves a long time after the death still deeply grieving. Or we may be unable to express our feelings at all. We may then need to find some help.

### what you can do

Like everyone else, people experiencing bereavement need to look after themselves. That means eating healthily, drinking at most in moderation and being physically active. The 'feel good' factor can also be helped by learning new skills, taking time to relax, enjoying different creative activities and keeping in touch with friends or making new ones by joining a club or volunteering.

It may be difficult to socialise if you lose a partner. Old friends will invite you to dinner bringing with them many years of memories you shared with your loved one. Unfortunately sometimes invitations may dry up from those who feel awkward inviting a single person to a dinner party of couples.

Some of us may immediately seek out our closest friend for support and consolation. Some of us may feel we have to carry on as normal and play down our true feelings. It is probably more helpful in the long run if we can find a way of expressing our worries and feelings to other people, rather than bottling them up and putting on a brave face. Those not so comfortable in sharing feelings with others might choose to work through their grief by writing thoughts down and keeping them in a safe place. Keeping a diary, creative writing or poetry can help. Gardening can be therapeutic.

If your work is affected – perhaps you can't sleep and have poor concentration – speak to your employer. They should make allowances for you including allowing you to take time off.

While grief has many symptoms, if you are worried about your health you should always consult your doctor.

### support groups

It can be very comforting to meet other people in similar circumstances to find out how they cope with the same kind of difficulties. Support groups can also be a very important source of practical advice and information. If you have been looking after the person who died many of the organisations that work on behalf of a major illnesses, for example Alzheimer's Scotland,

Chest Heart and Stroke Scotland, may provide support for life beyond being a carer.

'It's been good to get to know others who have been through it.'

### counselling and psychotherapy

People sometimes find it hard to talk about their difficulties but it is important to seek help and support. Counselling and psychotherapy give people the chance to talk through their problems. Both focus on present feelings and difficulties, which may be current or rooted in the past, and enable us to take more control of our life and to cope in the longer-term.

Such a process can start many years after a loss, and is particularly helpful when a person feels they are stuck in their grief and still experiences regular distressing symptoms after several months. Your doctor will be able to help you find a qualified therapist in your area. Some voluntary organisations provide free counselling and it's worth contacting those listed at the end of this booklet to find out if a trained counsellor is available.

### medical treatment

There is no 'healthy' or 'unhealthy' way to grieve – individuals have a right to grieve in their own way. Those going through bereavement may experience some feelings of anxiety and depression. About 33% of bereaved people have symptoms of depression one month after the loss, and 15% are still depressed a year later. But, with careful handling, personal insight and the understanding and support of others, even the most depressive of feelings will pass.

Doctors and healthcare specialists will be in a position to offer help and advice, and there will be times when medication is appropriate. He or she may prescribe antidepressants to help you cope for a short period of time, but also may advise against taking them in case they interfere with the natural grieving process. Antidepressants can be used at the same time as counselling and psychotherapy. Sleeping tablets may also be prescribed for a short time for those who are having difficulty sleeping. On occasion, however, the doctor may suggest a referral to a psychiatrist, psychologist or mental health team.

## the role of partner, friends and family

When someone has suffered bereavement, it can be important for them to share their feelings with others. Often bereaved people will tell the same story several times – but this is important as each telling helps to establish what has happened as a reality.

Families and friends can often help just by being available and ready to listen. The bereaved person may want to talk about their memories of the dead person, or events surrounding their death, or decisions which need to be made about the future. This is all part of coming to terms with what has happened and can take a long time.

It can be difficult to give this kind of support, and to know what to say, particularly if we are grieving ourselves. But it is not really about finding the right words. It is about listening, being patient and showing concern.

'People were very kind at the beginning but they think I should have got over it now. The world seems to go on regardless.' When we are grieving ourselves, we may feel that we need to be strong for a partner or family member who is also grieving. However, sometimes our strength may appear threatening, and to be honest about our own grief and to share common feelings may be more helpful.

Some of us find it easier to help in more practical ways with household tasks. This can also be of great help if someone is feeling unable to cope.

Of course the person who is bereaved is important, but there is a danger that the lives of friends and relatives come to revolve totally around the person's bereavement and that does not help anyone. Supporting others can be difficult and demanding. If possible get others to help and if you feel unable to cope talk to your doctor about your concerns. Encourage the bereaved person to seek help too.

### the future

Grieving is about learning to live with loss. The time it takes to grieve is different for each person. Gradually as time passes the pain of loss normally lessens and it maybe possible to think about other things and to consider the future.

We may be mourning for a planned future together and face the task of creating a new life. Because we are not thinking about the person all the time doesn't mean we have forgotten them – it is possible to be happy and still miss a person.

### other sources of help

Sometimes we need to look for help beyond the family and our circle of friends. They will know what resources are available locally, including counselling for bereaved people. We may want to call on the help of those who can provide spiritual or religious support. Other sources of help and information are provided overleaf. Much of the work in bereavement support is undertaken by voluntary organisations. Many of the organisations will be able to put you in touch with a group in your area.

### useful addresses

Your family doctor, funeral director, local Citizens' Advice Bureau or DSS office can guide you through all the practical matters associated with death. The Samaritans are always available to help you with the emotional side of bereavement. The following organisations should also be of help:

### **Breathing Space**

Tel: 0800 838 587 www.breathingspace scotland.co.uk

Breathing Space is a free, confidential phone-line you can call when you are feeling down. The phone-line is open from early evening right up until 2am. Advisors will listen, and try to help prevent problems getting worse, offer advice and suggest local people who can help with specific problems.

# British Association of Counselling and Psychotherapy

15 St John's Business Park Lutterworth LE17 4HB

Information line: 01455 883316

www.bacp.co.uk

### The Compassionate Friends

53 North Street Bristol BS3 1EN

Tel: 0845 123 2304 Email: info@tcf.org.uk www.tcf.org.uk

Advice and information for bereaved parents and their families

# Counselling and Psychotherapy in Scotland (COSCA)

16 Melville Terrace Stirling FK8 2NE Tel: 01786 475140

Email: info@cosca.org.uk www.cosca.org.uk

## Cruse Bereavement Care Scotland

Riverview House Friarton Road Perth PH2 8DF

Tel: 01738 444 178

Email: info@crusescotland.org.uk www.crusescotland.org.uk

Branches throughout Scotland.

#### One Parent Families Scotland

13 Gayfield Square Edinburgh EH1 3NX

Helpline: 0808 801 0323

info@opfs.org.uk www.opfs.org.uk

Advice and information for lone parent families.

# The National Association of Bereavement Services

4 Pinchin Street London F1 6DB

Helpline: 020 7709 0505

The NABS has a national directory of bereavement and loss services and can direct people to their nearest appropriate source of support.

#### NHS24

Caledonia House Fifty Pitches Road Cardonald Park Glasgow G51 4ED Tel: 08454 24 24 24

rei: 08454 24 24 24 www.nhs24.com

NHS 24 is a 24-hour health service for Scotland.

#### The Samaritans

Chris PO Box 9090 Stirling FK8 2SA

Tel: 08457 909090 Email: jo@samaritans.org www.samaritans.org

Talk things over in confidence with an experienced listener or send an email.

# Stillbirth and Neonatal Death Society

28 Portland Place London W1B 1LY

Helpline: 020 7436 5881 Email: support@uk-sands.org

www.uk-sands.org

#### The WAY Foundation

Suite 35, St Loyes House 20 St Loyes Street Bedford MK40 1ZL Tel: 0870 011 3450

www.wayfoundation.org.uk

Offers a social and support network for those widowed under the age of 50.

### Winston's Wish Westmoreland House 80 – 86 Bath Road Cheltenham GL53 7JT

Helpline: 0845 20 30 40 5

Email: info@winstonswish.org.uk

www.winstonswish.org.uk

Support for parents and carers of bereaved children.

### useful websites

www.childbereavement. org.uk The Child Bereavement Trust

www.dsscotland.org.uk/ageing/bereavement

Downs Syndrome Scotland

www.mind.org.uk MIND

www.miscarriage association.

Miscarriage Association Support Scotland Helpline: 0131 331 883

www.myh.org.uk Muslim Youth Helpline

www.opfs.org.uk/helpdesk/ money/bereavement One parent families coping with bereavement

www.rcpsych.ac.uk
The Royal College of Psychiatrists

www.rd4u.org.uk Cruse Bereavement Care's youth involvement project

www.sidscotland.org.uk Scottish Cot Death Trust

www.tht.org.uk/ Terence Higgins Trust (for gay and lesbian bereavement care)

# suggestions for reading

There are many publications about bereavement and your doctor or local library will be able to suggest some for you. Here are a few that might help.

#### A Grief Observed

by CS Lewis. Published by Faber and Faber, 1976. ISBN 057-106624-0

A Special Scar: The Experience of People Bereaved by Suicide by Alison Wertheimer. Published by Routledge, 2001. ISBN 041-522027-0

# All In The End Is Harvest: An Anthology for those who Grieve

edited by Agnes Whitaker. Published by Darton,Longman & Todd Ltd,1984. ISBN 023-251624-3

The Courage to Grieve: Creative Living, Recovery and Growth Through Grief by Judy Tatelbaum. Published by Heinemann, 1981. ISBN 074-930936-9

### The Early Days of Grieving by Derek Nuttall. Published by Beaconsfield, 1991. ISBN 090-658429-9

# Facing Grief: Bereavement and the Young Adult

by Susan Wallbank. Published by Lutterworth Press, 1997. ISBN 071-882807-0

### Grief and Bereavement: Understanding Children

by Ann Couldrick. Published by Sobell Publications, 1997. ISBN 095-175371-1

### New Journeys New Begin: Learning on the Path of Loss

by Tom Gordon.
Published by Wild Goose
Publications, 2006.
ISBN 190-501008-7

# Supporting Bereaved Young People

by Lynne Edwards, Janet Powney and Ann Dockrell.
Published by SCRE (Scottish
Council for Research in Education),
2000 and commissioned by The
Diana, Princess of Wales Memorial
Fund. A copy of the booklet can
be downloaded at www.scre.
ac.uk/bereavement/

# Through Grief: Bereavement Journey

by Claire Rayner (Foreword), Elizabeth Collick. Published by Darton, Longman & Todd Ltd, 1986. ISBN 023-251682-0

# A Special Scar: The Experience of People Bereaved by Suicide

by Alison Wertheimer. Published by Routledge, 2001. ISBN 041-522027-0

# You'll Get Over It: Rage of Bereavement

by Virginia Ironside. Published by Penguin Books, 1996. ISBN 014-023608-2

#### You're Not Alone

compiled and produced by Isabel Hospice Griffin House Watchmead Welwyn Garden City Herts AL7 1LT Published by Able Publishing, 2000.

### Other topics covered by the *Talking about...* series are:

- Attention Deficit Hyperactivity Disorder (ADHD)
- Anxiety disorders
- Depression
- Eating disorders
- Bipolar affective disorders

- Personality disorders
- Phobias
- Postnatal depression
- Schizophrenia
- Self-harm
- Stress

Contact your local health promotion resource service for copies. You can access their details via www.show.nhs.uk

Our publications are available in other formats and languages. For further information please contact NHS Health Scotland.

