

NEW MEDICINE APPLICATIONS BROUGHT TO THE BORDERS FORMULARY COMMITTEE (BFC) AND AREA DRUG & THERAPEUTICS COMMITTEE (ADTC) 2017/18

New Medicine Product/Device Endorsement Categories

Α	Approved for general use - hospital and general practice
В	Approved for specialist use only
С	Approved for consultant initiation, with ongoing prescribing in general practice
D	Approved for shared care between hospital and general practice. Shared care protocol to be developed. (Information included here)
Е	Not approved (reason given)
F	No decision – further information required (listed here)

Green	Unrestricted General Use Used widely and in accordance with a respectable, responsible body of clinical opinion (e.g. BNF for children; SIGN/NICE recommendation; royal college guidelines)
Amber	General Use With Restrictions (Prescribers to be outlined) Supporting clinical evidence has been evaluated by NHS Borders ADTC/Formulary committee. Local use has peer group support and reflects practice in other NHS Board areas. May require "shared care protocol".(include information here) Specific patient consent not normally required.
Red	Specialist Use Only Supporting clinical evidence has been evaluated by NHS Borders ADTC/Formulary committee. Limited evidence of efficacy available. Rarely used or may have serious potential side effects requiring close supervision of treatment Specific patient consent indicated.
Black	Not Approved for use

NEW MEDICINE APPLICATIONS BROUGHT TO BFC MEETING OF 12 th APRIL 2017		
NMA	Indication	BFC
		Decision
Insulin aspart	Treatment of diabetes mellitus in adults.	Category C
(Fiasp)		
Omnican Lance	Used to get the blood sample to test blood glucose in diabetic patients.	Category A
Soft Lancets		
Unilet Eco	Used to get the blood sample to test blood glucose in diabetic patients	Category A
Lancets		

Aztreonam	Alternative to carbapenems in treatment of severe infection caused by susceptible Gram	Category B
(Azactam)	negative bacteria on the advice of Consultant Microbiologist.	
Emtricitabine/ten	In combination with safer sex practices for pre-exposure prophylaxis to reduce risk of sexually	Category B
ofovir disoproxil	acquired HIV-1 infection in adults at high risk.	
(Truvada)		
Glucodrate	Dietary management of short bowel-associated intestinal failure and intestinal insufficiency.	Category B
Ixekizumab	Moderate to severe plaque psoriasis in adults who are candidates for systemic therapy.	Category B
80mg solution for		
injection (Taltz®)		
Nepafenac	Reduction in the risk of postoperative macular oedema associated with cataract surgery in	Category B
3mg/ml eye drops	diabetic patients.	
(Nevenac)		

NEW MEDICINE APPLICATIONS BROUGHT TO ADTC MEETING OF 10 th MAY 2017		
NMA	Indication	ADTC
		Decision
No applications at this meeting		

NEW MEDICINE APPLICATIONS BROUGHT TO BFC MEETING OF 14 th JUNE 2017			
NMA	Indication	BFC	
		Decision	
No applications at this meeting			

NEW MEDICINE APPLICATIONS BROUGHT TO ADTC MEETING OF 12 th JULY 2017		
NMA	Indication	ADTC
		Decision
Dalteparin	Prophylaxis, treatment and extended treatment of DVT/PE. Full anticoagulation for cardiology indications.	Category A

NEW MEDICINE APPLICATIONS BROUGHT TO BFC MEETING OF 9 th AUGUST 2017			
NMA	Indication	BFC	
		Decision	
Ustekinumab (Stelara)	Treatment of adult patients with moderately to severely active Crohn's disease who have had an inadequate response with, lost response to, or were intolerant to either conventional therapy or a tumour necrosis factor-alpha (TNF α) antagonist or have medical contraindications to such therapies	Category B	

Budesonide/formoterol		The regular treatment of asthma where use of a combination (inhaled corticosteroid and a	Category C
(Symbicort SMART)		long acting β_2 adrenoceptor agonist is appropriate (see application)	~ ~
Obeticholic Acid (Ocaliva)		Primary biliary cholangitis (also known as primary biliary cirrhosis) in combination with ursodeoxycholic acid in adults with an inadequate response to ursodeoxycholic acid or as monotherapy in adults unable to tolerate ursodeoxycholic acid	Category B
Ciprofloxacin -	+	Treatment of following infections in adults and children: Acute otitis media in patients	Category B
Dexamethason		with tympanostomy tubes (AOMT); acute otitis externa	Category B
drops (Cilodex		with tympulosionly tubes (1101/11), usute office externa	
NIEW N	/EDICT	NE ADDITEATIONS DOOLIGHT TO ADTO MEETING OF 12 th SEDTEN	MDED 2017
NEW MEDICINE APPLICATIONS BROUGHT TO ADTC MEETING OF 13 th SEPTEM NMA Indication		ADTC	
INMA	Indic	Cation	Decision
No application	s at this m	poeting	Decision
то аррисацоп	18 at uns n	icettiig	
NEW	MEDIC	CINE APPLICATIONS BROUGHT TO BFC MEETING OF 11th OCTOB	BER 2017
NMA		cation	BFC
			Decision
NEW I	MEDIC	INE APPLICATIONS BROUGHT TO ADTC MEETING OF 8th NOVEM	IBER 2017
NMA		Indication	
			Decision
	l .		<u> </u>
NEW	MEDIC	CINE APPLICATIONS BROUGHT TO BFC MEETING OF 13th DECEM	BER 2017
NMA	Indi	cation	BFC
			Decision
	•		
NEW	MEDIC	CINE APPLICATIONS BROUGHT TO ADTC MEETING OF 10 th JANU.	ARY 2018
NMA		Indication	ADTC

Decision

RY 2018
BFC
Decision
CH 2018
ADTC
Decision